



Salt in Crude Analyzer P-600

Credible Solutions for the Oil and Gas Industry





Salt in Crude Analyzer P-600

To remain competitive, today's refiners must employ all optimization and product control techniques available. The use of online physical property analyzers is one of the key features to reach those objectives because they measure important quality properties in the process directly. Salt in crude is the amount of chloride based salts found in the sample in weight per volume.

- Variable measurement ranges of up to 0-400 PTB (0-1000 mg/L)
- Rapid analysis cycle of 5 minutes
- Superior repeatability of 2% of scale
- Reliability better than 99% uptime
- Micro sample analysis reduces solvent consumption
- Incorporated rinse/flush system
- Precise bi-directional cell temperature control
- Remote diagnostics over IP

Application

In certain areas of the world, crude oils with high level of salts exist. This crude oil must still be transported and refined and the high levels of salt pose problems if left untreated. De-Salting technology is well established but to be utilized effectively the need for quick and accurate measurements of the level of salt concentration is necessary. The immediate response of an on-line analyzer allows the operator to use De-Salters as efficiently as possible.



Features

Micro samples
Low solvent consumption
Cell temperature control
Enclosed solvent tanks
Fully automatic
Local interface
Supports Modbus
Remote stand by option

Norms and standards

Correlates with ASTM D3230



Make your decision for a strong partner! Choose BARTEC also for:

- Fast Loop Systems
- Sample Conditioning Systems
- Validation Systems
- Recovery Systems
- Chillers
- Air Conditioning Systems/HVAC
- Pre Commissioned Analyzer Shelters/Turn-Key Solutions



Representantes / Distribuidores Exclusivos

Argentina Tel: (+54 11) 5352 2500 Email: info@dastecsrl.com.ar Web: www.dastecsrl.com.ar

Uruguay www.dastecsrl.com.uy

Bolivia www.tecdas.com.bo

BARTEC ORB

4724 South Christiana Chicago, IL 60632 USA

Tel.: +(1) 773 927 8600 Tel.: +(1) 773 927 8620 sales@bartec-orb.com

bartec.com